



检测报告

客户信息 _______ 实验室信息

 联系人
 姚建开
 管理者
 SGS-CSTC

 客户
 天津绿色动力再生能源有限公司
 实验室
 环境实验室

地址 中国天津市蓟州区别山镇西九户村东北1000米 地址 中国 天津 经济技术开发区第五大

街41号SGS大厦 (邮编300457)

电话上电话(86-22) 65288272传真传真(86-22) 25293826

Email 865566424@qq.com Email Tianjin.env@sgs.com

订单号-报告编号TJE20-02167 R1样品废气(12)SGS编号0000019781项目-报告日期2020/12/03

各注

1.结果适用于采样样品。

2.本报告替代报告TJE20-02167 R0,日期2020/11/20,原报告作废。

报告批准人

祖田啊

 张田明
 王琳琳

 报告编制
 审核

这种种

窦铭超 批准人

要点起



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Cond



声明 Statement

The test report is invalid without the official seal of the laboratory.

2. 未经本公司书面许可,不得复制 (全文复制除外) 检测报告。

This test report cannot be reproduced in any way, except in full content, without prior approval in writing by the laboratory.

3. 检测报告无编制、审核、批准人签字无效。

The test report is invalid without the signature of the compiler, the checker and the approver

4. 检测报告涂改无效。

The test report is invalid if altered.

5. 本检测报告以中文为准,英文文本(如有)仅为译文,两者发生冲突时,应以中文文本为准。

The test report has been drafted in Chinese and translated into English (if applicable) for convenience only. In the event of discrepancy, the Chinese version shall prevail.

6. 如对本检测报告有异议,请在收到报告10天之内与本公司联系。

Should you have any queries or objection to the test report, please contact us within 10 days after receiving the report.

符号表/Legend

NA 样品未测试该参数/The sample was not analysed for this analyte

- ↑ 提高检出限/Detection limit raised
- ↓ 降低检出限/Detection limit lowered

ND 未检出/Not Detected



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/sen/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction suses defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / insection report & certificate, please contact us at telephone (86-755) 8307

SGS Mansion, No.41, The 5th Avenue TEDA, Tianjin, China 300457 t (86-22) 6528 8272 f (86-22) 2529 3826 www.sgsgroup.com.cn 中国 · 天津市经济技术开发区第五大街41号SGS大厦 邮编: 300457 t (86-22) 6528 8272 f (86-22) 2529 3826 e sgs.china@sgs.com



第3页.共10页

			档	检室编号 ≥测类别 ≟品描述 <样日期	20-02167.001 有组织 - 2020/11/13	20-02167.002 有组织 - 2020/11/13	20-02167.003 有组织 - 2020/11/13
分析指标	方法	单位	检出限	限值	检测结果		
采样位置	-	-	-	-	活性炭贮仓	活性炭贮仓	活性炭贮仓
采样时间	-	-	-	-	14:03-15:03	15:07-16:07	16:09-17:09
烟道截面积	-	m²	-	-	0.0100	0.0100	0.0100
排气筒高度	-	m	-	-	26	26	26
烟温	GB/T 16157	°C	-	-	22	23	22
烟气流速	GB/T 16157	m/s	-	-	6.9	6.7	6.8
含湿量	GB/T 16157	%	-	-	1.8	1.8	1.8
标干气量	GB/T 16157	m³/h	-	-	229	220	225
静压	GB/T 16157	kPa	-	-	-0.02	-0.03	-0.03
颗粒物(排放浓度)	GB/T 16157	mg/m³	20	≤120	<20	<20	<20
颗粒物(排放速率)	GB/T 16157	kg/h	-	≤16	<4.58×10 ⁻³	<4.40×10 ⁻³	<4.50×10 ⁻³



SGS

SGS Mansion, No.41, The 5th Avenue TEDA, Tianjin, China 300457 t (86–22) 6528 8272 f (86–22) 2529 3826 www.sgsgroup.com.cn

中国・天津市经济技术开发区第五大街41号SGS大厦

邮编: 300457 t (86-22) 6528 8272 f (86-22) 2529 3826 e sgs.china@sgs.com



第4页,共10页

				金室编号 測类别 品描述 样日期	20-02167.004 有组织 - 2020/11/26	20-02167.005 有组织 - 2020/11/26	20-02167.006 有组织 - 2020/11/26
分析指标	方法	单位	检出限	限值	检测结果		
采样位置	-	-	-	-	飞灰贮仓	飞灰贮仓	飞灰贮仓
采样时间	-	-	-	-	10:09-11:09	11:17-12:17	12:25-13:25
烟道截面积	-	m²	-	-	0.0750	0.0750	0.0750
排气筒高度	-	m	-	-	26	26	26
烟温	GB/T 16157	°C	-	-	30	30	32
烟气流速	GB/T 16157	m/s	-	-	10.5	10.2	10.4
含湿量	GB/T 16157	%	-	-	1.3	1.3	1.3
标干气量	GB/T 16157	m³/h	-	-	2.56 X 10 ³	2.48 X 10 ³	2.51 X 10 ³
静压	GB/T 16157	kPa	-	-	0. 00	0. 00	0. 00
颗粒物(排放浓度)	GB/T 16157	mg/m³	20	≤120	<20	<20	<20
颗粒物(排放速率)	GB/T 16157	kg/h	-	≤16	<0.0512	<0.0496	<0.0502



SGS

1443, or email: CN.Doccheck@sgs.com

SGS Mansion, No.41, The 5th Avenue TEDA, Tianjin, China 300457 t (86-22) 6528 8272 f (86-22) 2529 3826 www.sgsgroup.com.cn

中国・天津市经济技术开发区第五大街41号SGS大厦 邮编: 300457 t (86-22) 6528 8272 f (86-22) 2529 3826 e sgs.china@sgs.com



第5页,共10页

				验室编号 ♪測类别 品描述 经样日期	20-02167.007 有组织 - 2020/11/26	20-02167.008 有组织 - 2020/11/26	20-02167.009 有组织 - 2020/11/26
分析指标	方法	单位	检出限	限值	检测结果		
采样位置	-	-	-	-	石灰贮仓	石灰贮仓	石灰贮仓
采样时间	-	-	-	-	10:18-11:18	11:22-12:22	12:24-13:24
烟道截面积	-	m²	-	-	0.0180	0.0180	0.0180
排气筒高度	-	m	-	-	26	26	26
烟温	GB/T 16157	°C	-	-	20	19	19
烟气流速	GB/T 16157	m/s	-	-	10.9	10.7	10.3
含湿量	GB/T 16157	%	-	-	1.1	1.1	1.1
标干气量	GB/T 16157	m³/h	-	-	661	650	626
静压	GB/T 16157	kPa	-	-	0. 00	-0.01	0. 00
颗粒物(排放浓度)	GB/T 16157	mg/m³	20	≤120	<20	<20	<20
颗粒物(排放速率)	GB/T 16157	kg/h	-	≤16	<0.0132	<0.0130	<0.0125



SGS





			检 样	俭室编号 测类别 品描述 样日期	20-02167.010 有组织 - 2020/11/26	20-02167.011 有组织 - 2020/11/26	20-02167.012 有组织 - 2020/11/26
分析指标	方法	单位	检出限	限值	检测结果		
采样位置	-	-	-	-	焚烧炉2#废气排口	焚烧炉2#废气排口	焚烧炉2#废气排口
采样时间	-	-	-	-	14:01-15:01	15:06-16:07	16:12-17:12
烟道截面积	-	m²	-	-	2.0106	2.0106	2.0106
排气筒高度	-	m	-	-	80	80	80
烟温	GB/T 16157	°C	_	_	159	156	154
烟气流速	GB/T 16157	m/s	-	-	14.1	13.9	13.3
含湿量	GB/T 16157	%	-	_	20.1	21.1	19.9
标干气量	GB/T 16157	m³/h	_	-	5.22 X 10⁴	5.11 X 10⁴	4.99 X 10⁴
静压	GB/T 16157	kPa	-	-	-0.15	-0.16	-0.17
氧含量	SEPA 2003	%	-	-	9.3	10.5	8.2
汞(排放浓度)	HJ 543	mg/m³	0.0025	_	<0.0025	<0.0025	<0.0025
汞(折算浓度)	HJ 543	mg/m³	-	≤0.05	<2.14×10 ⁻³	<2.38×10 ⁻³	<1.95×10 ⁻³
汞(排放速率)	HJ 543	kg/h	_	-	<1.30×10 ⁻⁴	<1.28×10 ⁻⁴	<1.25×10 ⁻⁴
铬 (排放浓度)	HJ 657	μg/m³	0.15	_	5.2	2.8	4.6
铬 (折算浓度)	HJ 657	μg/m³	-	_	4.46	2.68	3.58
铬 (排放速率)	HJ 657	kg/h	_	_	2.74×10 ⁻⁴	1.44×10 ⁻⁴	2.29×10 ⁻⁴
铊 (排放浓度)	HJ 657	μg/m³	0.005	_	<0.005	<0.005	0.007
铊 (折算浓度)	HJ 657	μg/m³	-	_	<4.25×10 ⁻³	<4.75×10 ⁻³	5.39×10 ⁻³
铊 (排放速率)	HJ 657	kg/h	_	_	<2.61×10 ⁻⁷	<2.56×10 ⁻⁷	3.45×10 ⁻⁷
铜 (排放浓度)	HJ 657	μg/m³	0.1	_	0.4	0.3	5.9
铜 (折算浓度)	HJ 657	μg/m³	-	_	0.372	0.292	4.59
铜 (排放速率)	HJ 657	kg/h	-	_	2.29×10 ⁻⁵	1.57×10 ⁻⁵	2.93×10 ⁻⁴
锰 (排放浓度)	HJ 657	μg/m³	0.04	_	1.7	1.2	7.7
锰 (折算浓度)	HJ 657	μg/m³	-		1.46	1.14	6.00
锰 (排放速率)	HJ 657	kg/h	-	-	8.98×10 ⁻⁵	6.14×10 ⁻⁵	3.84×10⁻⁴
锑 (排放浓度)	HJ 657	μg/m³	0.015	-	0.24	0.093	0.037
锑 (折算浓度)	HJ 657	μg/m³	-		0.207	0.0886	0.0285
锑 (排放速率)	HJ 657	kg/h	_	_	1.27×10 ⁻⁵	4.77×10 ⁻⁶	1.82×10 ⁻⁶
砷 (排放浓度)	HJ 657	μg/m³	0.1	_	0.2	<0.1	<0.1
砷 (折算浓度)	HJ 657		-		0.136	<0.0950	<0.0780
- 神 (別异水及) - 神 (排放速率)	HJ 657	μg/m³	-	-	8.35×10 ⁻⁶	<5.11×10 ⁻⁶	<4.99×10 ⁻⁶
辆 (排放浓度)	HJ 657	kg/h	0.005	-	0.059	0.021	0.11
· · · · · · · · · · · · · · · · · · ·	HJ 657	μg/m³ μg/m³	0.000	-	0.0590	0.0195	0.0864
·珊(加异水皮) 镉 (排放速率)	HJ 657	kg/h	-	-	3.07×10 ⁻⁶	1.05×10 ⁻⁶	5.53×10 ⁻⁶
钴 (排放浓度)	HJ 657	μg/m³	0.005	-	0.083	0.053	0.34
· 钴 (折成水皮) · · · · · · · · · · · · · · · · · · ·	HJ 657	μg/m³	0.003	-	0.0704	0.0499	0.266
· 钴 (排放速率)	HJ 657		_	-	4.32×10 ⁻⁶	2.69×10 ⁻⁶	1.70×10 ⁻⁵
铅 (排放浓度)	HJ 657	kg/h	0.1	-	0.7	0.3	2.5
铅 (拆放冰度) 铅 (折算浓度)	HJ 657	μg/m³			0.7	0.3	1.91
		μg/m³	-	-	0.556 3.41×10⁻⁵		1.91 1.22×10 ⁻⁴
铅 (排放速率)	HJ 657	kg/h	- 0.1	-		1.40×10⁻⁵	
镍 (排放浓度)	HJ 657	μg/m³	0.1	-	2.9	1.9	9.5
镍 (折算浓度) 镍 (排放速率)	HJ 657 HJ 657	μg/m³ kg/h	-	-	2.50 1.53×10⁻⁴	1.79 9.66×10 ⁻⁵	7.42 4.75×10 ⁻⁴



SGS

SGS Mansion, No.41, The 5th Avenue TEDA, Tianjin, China 300457 t (86–22) 6528 8272 f (86–22) 2529 3826 www.sgsgroup.com.cn 邮编: 300457 t (86-22) 6528 8272 f (86-22) 2529 3826 e sgs.china@sgs.com 中国・天津市经济技术开发区第五大街41号SGS大厦







采样地址:天津市蓟州区别山镇西九户村东北1000米。

限值:GB16297-1996《大气污染物综合排放标准》表2二级。

GB 18485-2014《生活垃圾焚烧污染控制标准》表4。

飞灰贮仓、石灰贮仓采样点位采样位置不符合GB/T16157-1996中4.2.1要求。

排气筒高度由客户提供。





第8页.共10页

方法列表

GB/T 16157-1996 固定污染源排气中颗粒物测定与气态污染物采样方法

SEPA 2003 《空气和废气监测分析方法》(第四版)国家环境保护总局(2003)

GB/T 16157-1996 及其修改单 固定污染源排气中颗粒物测定与气态污染物采样方法

HJ 543-2009 固定污染源废气 汞的测定 冷原子吸收分光光度法(暂行)

HJ 657-2013 及修改单 空气和废气 颗粒物中铅等金属元素的测定 电感耦合等离子体质谱法



SGS Mansion, No.41, The 5th Avenue TEDA, Tianjin, China 300457 t (86–22) 6528 8272 f (86–22) 2529 3826 www.sgsgroup.com.cn 中国・天津市经济技术开发区第五大街41号SGS大厦 邮编: 300457 t (86-22) 6528 8272 f (86-22) 2529 3826 e sgs.china@sgs.com



第9页.共10页

方法:采样仪器信息(Sampling equipment information)*

万本:米件仪器信息(Sampling equipm	ent iniornation)		
仪器名称	型号	仪器编号	出厂序号
双气路烟气采样器	ZR-3710	ENV555	371019031783
低浓度自动烟尘烟气综合测试仪	ZR-3260D	ENV559	3260D19058379
低浓度自动烟尘烟气综合测试仪	ZR-3260D	ENV595	3260D19068609
低浓度自动烟尘烟气综合测试仪	ZR-3260D	ENV596	3260D19068594
方法:GB/T 16157-1996	·		•
仪器名称	型号	仪器编号	出厂序号
低浓度自动烟尘烟气综合测试仪	ZR-3260D	ENV559	3260D19058379
低浓度自动烟尘烟气综合测试仪	ZR-3260D	ENV595	3260D19068609
低浓度自动烟尘烟气综合测试仪	ZR-3260D	ENV596	3260D19068594
方法:SEPA 2003	•		
仪器名称	型号	仪器编号	出厂序号
低浓度自动烟尘烟气综合测试仪	ZR-3260D	ENV559	3260D19058379
低浓度自动烟尘烟气综合测试仪	ZR-3260D	ENV595	3260D19068609
低浓度自动烟尘烟气综合测试仪	ZR-3260D	ENV596	3260D19068594
方法:GB/T 16157-1996	·		
仪器名称	型号	仪器编号	出厂序号
电子天平	BSA224S	CHEM-004-F	24091763
方法:HJ 543-2009		·	•
仪器名称	型号	仪器编号	出厂序号
测汞仪	DMA-80	CHEM-015-C	17032196
方法:HJ 657-2013			•
N. BB 4-51		W. 55 (A. 55	U.S. A.B.

仪器名称	型号	仪器编号	出厂序号
电感耦合等离子体质谱仪	NEXION 350X	CHEM-080-A	85XN6101801







項目	辐、铊及其化合物	锑、砷、铅、铬、钴、 铜、锰、镍及其化合物	限值		
样品编号	排放浓度 (μg/m³)	排放浓度 (µg/m³)	镉、铊及其化合 物 (μg/m³)	锑、砷、铅、铬、钴、铜 、锰、镍及其化合物 (μg/m³)	
TJE20-02167. 010	0. 0500	9.76			
TJE20-02167. 011	0. 0195	6. 30	100	1000	
TJE20-02167. 012	0.0918	23. 8			

*** 报告结束 ***



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Cond